GOVERNMENT OF ANDHRA PRADESH ABSTRACT

P.S. - Irrigation & CAD Department – K.C. Canal silt removal work from Sunkesula to Paddidempadu (V) near Kurnool (KM0/0 to KM 40/0) – Boosting of estimates – Appointment of Dr. Prashant Mahapatra, IAS, Commissioner, GA(COI) Department as Inquiring Authority in place of Sri S. Satyanarayana, Member, COI, GAD – Orders –Issued.

IRRIGATION & CAD (SER.VII.(V&E)A.1) DEPARTMENT

<u>G.O.Rt.No</u>. Date : 20-06-2008

READ the following:

- 1. G.O.Rt.No. 1426, I&CAD(Ser.VII(V&E.1)Deptt., Dated 26-10-2006.
- 2. Govt. Memo No. 2915/Ser.VII.(V&E.1)/2006-3, Dated 26-10-2006.

ORDERS:

Whereas an inquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules,1991 is being held against the following officers:

- (1)Sri D. Guru Murthy, AEE
- (2) Sri BDCN Nehemaiah, AE
- (3) Sri G. Rajan Babu, DEE
- (4) Sri SA Razack, EE
- (5) Sri K.V. Ramaniah, E.E.
- 2. Where as Sri S. Sathyanarayana, Member COI GAD was appointed as Inquiring Authority to inquire into the charges framed against said officers vide reference 1^{st} read above;
- 3. And whereas the term of Sri S. Sathyanarayana as Member was completed and demitted office on 12-10-2007 AN, it is necessary to appoint an other officer as Inquiring Authority to inquire into the charges framed against the above said officers.
- 4. Now, therefore, the Government in exercise of the powers conferred by sub rule (2) read with sub-rule (22) of rule 20 the APCS(CC&A) Rules, 1991, hereby appoints Dr. Prasanth Mahapatra, IAS, Commissioner, General Administration (COI-R) Department , as Inquiring authority in place of Sri S. Sathyanarayana, Member, to inquire into the charges framed against the said officers in para 1 above. The Inquiring Authority is requested to complete the enquiry and submit his report within two months.

(BY ORDER AND IN THE NAME OF THE GOVERNER OF ANDHRA PRADESH)

S.P. TUCKER PRINCIPAL SECRETARY TO

GOVERNMENT

То

Dr. Prasanth Mahapatra, I.A.S., Commissioner, General Administration(COI) Department.

Copy to:

Sri P.S.R. Subrahmanyam, Chief Engineer, Medium Irrigation, Hyderabad and Presenting Officer.

The Individuals through Engineer-in-Chief(AW) , I&CAD Department, Hyderabad.

The Engineer-in-Chief (AW), I&CAD Department, Hyderabad.

SF/SC

//FORWARDED : BY ORDER//

SECTION

OFFICER